

Report No.: SZEM160300176101

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan

District, Shenzhen, Guangdong, China 518057

Telephone: +86 (0) 755 2601 2053 Fax: +86 (0) 755 2671 0594

Email: ee.shenzhen@sgs.com Page: 1 of 96

FCC REPORT

Application No: SZEM1603001761CR

Applicant: Shenzhen Ai-Thinker Technology co., LTD

Manufacturer: Shenzhen Ai-Thinker Technology co., LTD

Factory: Shenzhen Ai-Thinker Technology co., LTD

Product Name: WIFI Module

Model No.(EUT): ESP-07S

Trade Mark: Al

FCC ID: 2AHMR-ESP07S

Standards: 47 CFR Part 15, Subpart C (2015)

Date of Receipt: 2016-03-30

Date of Test: 2016-04-08 to 2016-06-14

Date of Issue: 2016-06-17

Test Result: PASS *

. * In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Jack Zhang EMC Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 2 of 96

2 Version

| Revision Record | | | | | | |
|--------------------------------------|--|------------|--|----------|--|--|
| Version Chapter Date Modifier Remark | | | | | | |
| 00 | | 2016-06-17 | | Original | | |
| | | | | | | |
| | | | | | | |

| Authorized for issue by: | | |
|--------------------------|--------------------------------|------------|
| Tested By | Peter Gene | 2016-06-14 |
| | (Peter Geng) /Project Engineer | Date |
| Prepared By | Iris Zhou | 2016-06-17 |
| | (Iris Zhou) /Clerk | Date |
| Checked By | Eric Fu | 2016-06-17 |
| | (Eric Fu) /Reviewer | Date |

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 3 of 96

3 Test Summary

| Test Item | Test Requirement | Test method | Result |
|---|--|------------------|--------|
| Antenna Requirement | 47 CFR Part 15, Subpart C Section 15.203/15.247 (c) | ANSI C63.10 2013 | PASS |
| AC Power Line Conducted Emission | 47 CFR Part 15, Subpart C Section 15.207 | ANSI C63.10 2013 | PASS |
| Conducted Peak Output Power | 47 CFR Part 15, Subpart C Section 15.247 (b)(3) | ANSI C63.10 2013 | PASS |
| 6dB Occupied Bandwidth | 47 CFR Part 15, Subpart C Section 15.247 (a)(2) | ANSI C63.10 2013 | PASS |
| Power Spectral Density | 47 CFR Part 15, Subpart C Section 15.247 (e) | ANSI C63.10 2013 | PASS |
| Band-edge for RF Conducted Emissions | 47 CFR Part 15, Subpart C Section 15.247(d) | ANSI C63.10 2013 | PASS |
| RF Conducted Spurious Emissions | 47 CFR Part 15, Subpart C Section 15.247(d) | ANSI C63.10 2013 | PASS |
| Radiated Spurious Emissions | 47 CFR Part 15, Subpart C Section 15.205/15.209 | ANSI C63.10 2013 | PASS |
| Restricted bands around fundamental frequency (Radiated Emission) | 47 CFR Part 15, Subpart C Section 15.205/15.209 | ANSI C63.10 2013 | PASS |



Report No.: SZEM160300176101

Page: 4 of 96

4 Contents

| | | | Page |
|---|-------------|---|------|
| 1 | CO | VER PAGE | 1 |
| 2 | VEF | RSION | 2 |
| 3 | TES | ST SUMMARY | 3 |
| 4 | COI | NTENTS | 4 |
| 5 | GEN | NERAL INFORMATION | 5 |
| | 5.1 | CLIENT INFORMATION | 5 |
| | 5.2 | GENERAL DESCRIPTION OF EUT | |
| | 5.3 | TEST ENVIRONMENT AND MODE | |
| | 5.4 | DESCRIPTION OF SUPPORT UNITS | |
| | 5.5 | TEST LOCATION | |
| | 5.6 | TEST FACILITY | |
| | 5.7 | DEVIATION FROM STANDARDS | |
| | 5.8 | ABNORMALITIES FROM STANDARD CONDITIONS | |
| | 5.9 5.10 | OTHER INFORMATION REQUESTED BY THE CUSTOMER | |
| | | | |
| 6 | TES | ST RESULTS AND MEASUREMENT DATA | 12 |
| | 6.1 | ANTENNA REQUIREMENT | 12 |
| | 6.2 | CONDUCTED EMISSIONS | |
| | 6.3 | CONDUCTED PEAK OUTPUT POWER | 17 |
| | 6.4 | 6DB OCCUPY BANDWIDTH | 25 |
| | 6.5 | Power Spectral Density | |
| | 6.6 | BAND-EDGE FOR RF CONDUCTED EMISSIONS | |
| | 6.7 | RF CONDUCTED SPURIOUS EMISSIONS | |
| | 6.8 | RADIATED SPURIOUS EMISSIONS | |
| | 6.8. | | |
| | 6.8. | | |
| | 6.9 | RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY | |
| 7 | PHO | DTOGRAPHS - EUT TEST SETUP | |
| | 7.1 | CONDUCTED EMISSION | |
| | 7.2 | RADIATED EMISSION | |
| | 7.3 | RADIATED SPURIOUS EMISSION | 96 |
| 8 | PHO | OTOGRAPHS - EUT CONSTRUCTIONAL DETAILS | 96 |

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 5 of 96

5 General Information

5.1 Client Information

| Applicant: | Shenzhen Ai-Thinker Technology co. , LTD | | | | |
|--------------------------|--|--|--|--|--|
| Address of Applicant: | 6/F BlockC2. Huafeng Industrial Park, Baoan district Shenzhen | | | | |
| Manufacturer: | Shenzhen Ai-Thinker Technology co. , LTD | | | | |
| Address of Manufacturer: | 6/F Block C2, Huafeng Industrial Park, Hangcheng Road, Baoan district Shenzhen | | | | |
| Factory: | Shenzhen Ai-Thinker Technology co. , LTD | | | | |
| Address of Factory: | 6/F Block C2, Huafeng Industrial Park, Hangcheng Road, Baoan district Shenzhen | | | | |

5.2 General Description of EUT

| Product Name: | WIFI Module | | |
|----------------------|--|--|--|
| Model No.: | ESP-07S | | |
| Trade Mark: | Al | | |
| Operation Frequency: | IEEE 802.11b/g/n(HT20): 2412MHz to 2462MHz | | |
| Channel Numbers: | IEEE 802.11b/g, IEEE 802.11n HT20: 11 Channels | | |
| Channel Separation: | 5MHz | | |
| Type of Modulation: | IEEE for 802.11b: DSSS(CCK,DQPSK,DBPSK) | | |
| | IEEE for 802.11g : OFDM(64QAM, 16QAM, QPSK, BPSK) | | |
| | IEEE for 802.11n(HT20) : OFDM (64QAM, 16QAM,QPSK,BPSK) | | |
| Antenna Type: | dedicated antenna | | |
| Antenna Gain: | 3dBi | | |
| EUT Power Supply: | DC 5V from USB port | | |

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 6 of 96

| Operation Frequency each of channel(802.11b/g/n HT20) | | | | | | | |
|---|---------|---|---------|---|---------|----|---------|
| Channel Frequency Channel Frequency Channel Frequency Channel Frequency | | | | | | | |
| 1 | 2412MHz | 4 | 2427MHz | 7 | 2442MHz | 10 | 2457MHz |
| 2 | 2417MHz | 5 | 2432MHz | 8 | 2447MHz | 11 | 2462MHz |
| 3 | 2422MHz | 6 | 2437MHz | 9 | 2452MHz | | |

Note:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11b/g/n (HT20):

| Channel | Frequency | | |
|---------------------|-----------|--|--|
| The Lowest channel | 2412MHz | | |
| The Middle channel | 2437MHz | | |
| The Highest channel | 2462MHz | | |



Report No.: SZEM160300176101

Page: 7 of 96

5.3 Test Environment and Mode

| Operating Environment: | | | | | | |
|------------------------|---|--|--|--|--|--|
| Temperature: | 25.0 °C | | | | | |
| Humidity: | 55 % RH | | | | | |
| Atmospheric Pressure: | ric Pressure: 1015 mbar | | | | | |
| Test mode: | | | | | | |
| Transmitting mode: | Keep the EUT in transmitting mode with all kind of modulation and all | | | | | |
| | kind of data rate. | | | | | |

5.4 Description of Support Units

The EUT has been tested with the following equipment.

| Description | Manufacture | Model |
|-------------|-------------|---------|
| Laptop | Lenovo | T430u |
| Router | NETGEAR | JNR3300 |

5.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch E&E Lab,

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 8 of 96

5.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

VCCI

The 10m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-823, R-4188, T-1153 and C-2383 respectively.

FCC – Registration No.: 556682

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 556682.

Industry Canada (IC)

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.

5.7 Deviation from Standards

None.

5.8 Abnormalities from Standard Conditions

None

5.9 Other Information Requested by the Customer

None.



Report No.: SZEM160300176101

Page: 9 of 96

5.10 Equipment List

| | Conducted Emission | | | | | | |
|------|--------------------|---|---------------------|------------------|------------------------|---------------------------|--|
| Item | Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. date (yyyy-mm-dd) | Cal.Due date (yyyy-mm-dd) | |
| 1 | Shielding Room | ZhongYu Electron | GB-88 | SEM001-06 | 2016-05-13 | 2017-05-13 | |
| 2 | LISN | Rohde & Schwarz | ENV216 | SEM007-01 | 2015-10-09 | 2016-10-09 | |
| 3 | LISN | ETS- LINDGREN | 3816/2 | SEM007-02 | 2016-04-25 | 2017-04-25 | |
| 4 | 8 Line ISN | Fischer Custom Communication s Inc. | FCC-TLISN- T8-02 | EMC0120 | 2015-08-30 | 2016-08-30 | |
| 5 | 4 Line ISN | Fischer Custom Communication s Inc. | FCC-TLISN- T4-02 | EMC0121 | 2015-08-30 | 2016-08-30 | |
| 6 | 2 Line ISN | Fischer Custom Communication s Inc. | FCC-TLISN- T2-02 | EMC0122 | 2015-08-30 | 2016-08-30 | |
| 7 | EMI Test Receiver | Rohde & Schwarz | ESCI | SEM004-02 | 2016-04-25 | 2017-04-25 | |
| 8 | DC Power Supply | Zhao Xin | RXN-305D | SEM011-02 | 2015-10-09 | 2016-10-09 | |



Report No.: SZEM160300176101

Page: 10 of 96

| | RE in Chamber | | | | | |
|------|-----------------------------------|-------------------------|--------------|------------------|------------------------|---------------------------|
| Item | Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. date (yyyy-mm-dd) | Cal.Due date (yyyy-mm-dd) |
| 1 | 3m Semi-Anechoic Chamber | ETS- LINDGREN | N/A | SEM001-01 | 2016-05-13 | 2017-05-13 |
| 2 | EMI Test Receiver | Agilent Technologies | N9038A | SEM004-05 | 2015-09-16 | 2016-09-16 |
| 3 | BiConiLog Antenna (26-3000MHz) | ETS- LINDGREN | 3142C | SEM003-01 | 2014-11-01 | 2017-11-01 |
| 4 | Double-ridged horn (1-18GHz) | ETS- LINDGREN | 3117 | SEM003-11 | 2015-10-17 | 2018-10-17 |
| 5 | Horn Antenna (18-26GHz) | ETS- LINDGREN | 3160 | SEM003-12 | 2014-11-24 | 2017-11-24 |
| 6 | Pre-amplifier (0.1-1300MHz) | Agilent Technologies | 8447D | SEM005-01 | 2016-04-25 | 2017-04-25 |
| 7 | Band filter | Amindeon | Asi 3314 | SEM023-01 | N/A | N/A |
| 8 | DC Power Supply | Zhao Xin | RXN-305D | SEM011-02 | 2015-10-09 | 2016-10-09 |
| 9 | Loop Antenna | Beijing Daze | ZN30401 | SEM003-09 | 2015-05-13 | 2018-05-13 |

| | RE in Chamber | | | | | | | |
|------|-----------------------------------|-------------------------|---------------------------|------------------|------------------------|---------------------------|--|--|
| Item | Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. date (yyyy-mm-dd) | Cal.Due date (yyyy-mm-dd) | | |
| 1 | 3m Semi-Anechoic Chamber | AUDIX | N/A | SEM001-02 | 2016-05-13 | 2017-05-13 | | |
| 2 | EMI Test Receiver | Rohde & Schwarz | ESIB26 | SEM004-04 | 2016-04-25 | 2017-04-25 | | |
| 3 | BiConiLog Antenna (26-3000MHz) | ETS-Lindgren | 3142C | SEM003-02 | 2014-11-15 | 2017-11-15 | | |
| 4 | Amplifier (0.1-1300MHz) | HP | 8447D | SEM005-02 | 2015-10-09 | 2016-10-09 | | |
| 5 | Horn Antenna (1-18GHz) | Rohde & Schwarz | HF907 | SEM003-07 | 2015-06-14 | 2018-06-14 | | |
| 6 | Low Noise Amplifier | Black Diamond Series | BDLNA- 0118- 352810 | SEM005-05 | 2015-10-09 | 2016-10-09 | | |
| 7 | Band filter | Amindeon | Asi 3314 | SEM023-01 | N/A | N/A | | |

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 11 of 96

| | RF connected test | | | | | | | | |
|------|-------------------|--------------------|-----------|---------------|---------------------------|---------------------------|--|--|--|
| Item | Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. date (yyyy-mm-dd) | Cal.Due date (yyyy-mm-dd) | | | |
| 1 | DC Power Supply | ZhaoXin | RXN-305D | SEM011-02 | 2015-10-09 | 2016-10-09 | | | |
| 2 | Spectrum Analyzer | Rohde & Schwarz | FSP | SEM004-06 | 2015-10-17 | 2016-10-17 | | | |
| 3 | Signal Generator | Rohde & Schwarz | SML03 | SEM006-02 | 2016-04-25 | 2017-04-25 | | | |
| 4 | Power Meter | Rohde & Schwarz | NRVS | SEM014-02 | 2015-10-09 | 2016-10-09 | | | |



Report No.: SZEM160300176101

Page: 12 of 96

6 Test results and Measurement Data

6.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and it can be replaced by the user when it is broken while the standard antenna jack or electrical connector will not be used. The best case gain of the antenna is 3dBi.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 13 of 96


6.2 Conducted Emissions

| Test Requirement: | 47 CFR Part 15C Section 15.207 | | | | |
|-----------------------|---|--|--|--------------------------------|--|
| Test Method: | ANSI C63.10: 2013 | | | | |
| Test Frequency Range: | 150kHz to 30MHz | | | | |
| Limit: | Francisco (MIII-) | Limit (c | dBuV) | | |
| | Frequency range (MHz) | Quasi-peak | Average | | |
| | 0.15-0.5 | 66 to 56* | 56 to 46* | | |
| | 0.5-5 | 56 | 46 | | |
| | 5-30 | 60 | 50 | | |
| | * Decreases with the logarithn | n of the frequency. | | | |
| Test Procedure: | The mains terminal disturbation. The EUT was connected to Impedance Stabilization Not impedance. The power call connected to a second LIS plane in the same way as a multiple socket outlet strip single LISN provided the reason of the terminal placed on the horizontal ground reference plane. All placed on the horizontal ground reference plane. The EUT shall be 0.4 m overtical ground reference plane. The LISN unit under test and bonded mounted on top of the ground between the closest points the EUT and associated experience to find the maximum equipment and all of the in ANSI C63.10: 2013 on contract to find the maximum and contract to find the maximum and all of the in the EUT and associated experience. | o AC power source throetwork) which provides bles of all other units of SN 2, which was bonded the LISN 1 for the unit kneed used to connect mating of the LISN was need upon a non-metallicend for floor-standing are cound reference plane, the a vertical ground reference plane was bonded to the 1 was placed 0.8 m from the vertical ground reference und reference plane. The fof the LISN 1 and the quipment was at least 0 am emission, the relative terface cables must be | ough a LISN 1 (Line a 50Ω/50μH + 5Ω line the EUT were do to the ground reference plane and the EUT were downward. A multiple power cables not exceeded. In the EUT were downward the EUT erence plane. The red reference plane. The red of the boundary of the plane for LISNs his distance was EUT. All other units of the positions of the changed according the EUT was a solution. | near ence to a ne was ar ne he | |



Report No.: SZEM160300176101

Page: 14 of 96



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101


Page: 15 of 96

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live Line:



Site : Shielding Room Condition : CE LINE Job No. : 1761CR Test Mode : TX

| | | Freq | Cable Loss | LISN Factor | Read Level | | Limit Line | Over Limit | Remark |
|----|---|---------|---------------|----------------|---------------|-------|---------------|---------------|---------|
| | | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| 1 | @ | 0.16414 | 0.02 | 9.60 | 42.65 | 52.27 | 65.25 | -12.98 | QP |
| 2 | | 0.16414 | 0.02 | 9.60 | 23.19 | 32.81 | 55.25 | -22.45 | AVERAGE |
| 3 | | 0.19242 | 0.02 | 9.60 | 38.22 | 47.84 | 63.93 | -16.09 | QP |
| 4 | | 0.19242 | 0.02 | 9.60 | 18.18 | 27.80 | 53.93 | -26.13 | AVERAGE |
| 5 | | 0.23285 | 0.02 | 9.60 | 34.69 | 44.31 | 62.35 | -18.04 | QP |
| 6 | | 0.23285 | 0.02 | 9.60 | 16.81 | 26.43 | 52.35 | -25.92 | AVERAGE |
| 7 | | 0.28178 | 0.01 | 9.59 | 27.66 | 37.27 | 60.76 | -23.49 | QP |
| 8 | | 0.28178 | 0.01 | 9.59 | 9.54 | 19.14 | 50.76 | -31.62 | AVERAGE |
| 9 | | 0.57923 | 0.01 | 9.61 | 19.87 | 29.49 | 56.00 | -26.51 | QP |
| 10 | | 0.57923 | 0.01 | 9.61 | 7.93 | 17.55 | 46.00 | -28.45 | AVERAGE |
| 11 | | 1.396 | 0.02 | 9.59 | 18.14 | 27.75 | 56.00 | -28.25 | QP |
| 12 | | 1.396 | 0.02 | 9.59 | 8.80 | 18.41 | 46.00 | -27.59 | AVERAGE |


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 16 of 96

Neutral Line:



Site : Shielding Room Condition : CE NEUTRAL Job No. : 1761CR Test Mode : TX

| | Freq | Cable Loss | LISN Factor | | | Limit Line | Over Limit | Remark |
|-----|---------|---------------|----------------|-------|-------|---------------|---------------|---------|
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| 1 @ | 0.18249 | 0.02 | 9.61 | 41.13 | 50.75 | 64.37 | -13.62 | QP |
| 2 | 0.18249 | 0.02 | 9.61 | 25.60 | 35.23 | 54.37 | -19.14 | AVERAGE |
| 3 | 0.22676 | 0.02 | 9.61 | 34.48 | 44.11 | 62.57 | -18.46 | QP |
| 4 | 0.22676 | 0.02 | 9.61 | 18.37 | 28.00 | 52.57 | -24.57 | AVERAGE |
| 5 | 0.28782 | 0.01 | 9.62 | 27.81 | 37.44 | 60.59 | -23.14 | QP |
| 6 | 0.28782 | 0.01 | 9.62 | 15.02 | 24.65 | 50.59 | -25.94 | AVERAGE |
| 7 | 0.33920 | 0.01 | 9.62 | 23.55 | 33.18 | 59.22 | -26.04 | QP |
| 8 | 0.33920 | 0.01 | 9.62 | 12.43 | 22.06 | 49.22 | -27.16 | AVERAGE |
| 9 | 0.53782 | 0.01 | 9.63 | 22.00 | 31.64 | 56.00 | -24.36 | QP |
| 10 | 0.53782 | 0.01 | 9.63 | 8.40 | 18.05 | 46.00 | -27.95 | AVERAGE |
| 11 | 1.456 | 0.02 | 9.64 | 21.13 | 30.80 | 56.00 | -25.20 | QP |
| 12 | 1.456 | 0.02 | 9.64 | 11.23 | 20.89 | 46.00 | -25.11 | AVERAGE |

Notes:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 17 of 96

6.3 Conducted Peak Output Power

| Test Requirement: | 47 CFR Part 15C Section 15.247 (b)(3) | | | | |
|------------------------|---|--|--|--|--|
| Test Method: | ANSI C63.10 :2013 Section 11.9.1 | | | | |
| Test Setup: | Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane | | | | |
| | Remark: | | | | |
| | Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer. | | | | |
| Test Instruments: | Refer to section 5.10 for details | | | | |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates | | | | |
| Final Test Mode: | Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; | | | | |
| | 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20); | | | | |
| Limit: | 30dBm | | | | |
| Test Results: | Pass | | | | |

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 18 of 96

| Pre-scan under all rate at lowest channel | | | | | | | | |
|---|---------------|--------|----------|--------|--------|--------|----------|--------|
| Mode | 802.11b | | | | | | | |
| Data Rate | 1Mbps | 2Mbps | 5.5Mbps | 11Mbps | | | | |
| Power (dBm) | 18.26 | 18.19 | 18.12 | 18.05 | | | | |
| Mode | 802.11g | | | | | | | |
| Data Rate | 6Mbps | 9Mbps | 12Mbps | 18Mbps | 24Mbps | 36Mbps | 48Mbps | 54Mbps |
| Power (dBm) | 22.09 | 22.08 | 22.04 | 22.00 | 21.95 | 21.94 | 21.88 | 21.81 |
| Mode | 802.11n(HT20) | | | | | | | |
| Data Rate | 6.5Mbps | 13Mbps | 19.5Mbps | 26Mbps | 39Mbps | 52Mbps | 58.5Mbps | 65Mbps |
| Power (dBm) | 22.15 | 22.10 | 22.07 | 22.04 | 22.00 | 21.97 | 21.93 | 21.90 |

Through Pre-scan, 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20).

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 19 of 96

Measurement Data

| | 802.11b mode | | | | | | | |
|--------------|-------------------------|-------------|--------|--|--|--|--|--|
| Test channel | Peak Output Power (dBm) | Limit (dBm) | Result | | | | | |
| Lowest | 18.26 | 30.00 | Pass | | | | | |
| Middle | 17.69 | 30.00 | Pass | | | | | |
| Highest | 18.02 | 30.00 | Pass | | | | | |
| | 802.11g mode | | | | | | | |
| Test channel | Peak Output Power (dBm) | Limit (dBm) | Result | | | | | |
| Lowest | 22.09 | 30.00 | Pass | | | | | |
| Middle | 21.88 | 30.00 | Pass | | | | | |
| Highest | 22.32 | 30.00 | Pass | | | | | |
| | 802.11n(HT20)mode | | | | | | | |
| Test channel | Peak Output Power (dBm) | Limit (dBm) | Result | | | | | |
| Lowest | 22.15 | 30.00 | Pass | | | | | |
| Middle | 21.90 | 30.00 | Pass | | | | | |
| Highest | 22.44 | 30.00 | Pass | | | | | |




Report No.: SZEM160300176101


Page: 20 of 96

Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Middle



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 21 of 96





Test mode: 802.11g Test channel: Lowest




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 22 of 96





Test mode: 802.11g Test channel: Highest



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 23 of 96

Test mode: 802.11n(HT20) Test channel: Lowest








[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 24 of 96






"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 25 of 96

6.4 6dB Occupy Bandwidth



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 26 of 96

Measurement Data

| | 802.11b mode | | | | | | | |
|--------------|----------------------------|-------------|--------|--|--|--|--|--|
| Test channel | 6dB Occupy Bandwidth (MHz) | Limit (kHz) | Result | | | | | |
| Lowest | 8.130 | ≥500 | Pass | | | | | |
| Middle | 8.100 | ≥500 | Pass | | | | | |
| Highest | 8.100 | ≥500 | Pass | | | | | |
| | 802.11g mode | | | | | | | |
| Test channel | 6dB Occupy Bandwidth (MHz) | Limit (kHz) | Result | | | | | |
| Lowest | 16.440 | ≥500 | Pass | | | | | |
| Middle | 16.410 | ≥500 | Pass | | | | | |
| Highest | 16.440 | ≥500 | Pass | | | | | |
| | 802.11n(HT20) mode | | | | | | | |
| Test channel | 6dB Occupy Bandwidth (MHz) | Limit (kHz) | Result | | | | | |
| Lowest | 17.670 | ≥500 | Pass | | | | | |
| Middle | 17.670 | ≥500 | Pass | | | | | |
| Highest | Highest 17.640 | | Pass | | | | | |




Report No.: SZEM160300176101


Page: 27 of 96

Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Middle




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 28 of 96

Test mode: 802.11b Test channel: Highest








"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 29 of 96

Test mode: 802.11g Test channel: Middle








"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 30 of 96

Test mode: 802.11n(HT20) Test channel: Lowest








"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 31 of 96

Test mode: 802.11n(HT20) Test channel: Highest



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 32 of 96

6.5 Power Spectral Density

| Test Requirement: | 47 CFR Part 15C Section 15.247 (e) | | | | |
|------------------------|---|--|--|--|--|
| Test Method: | ANSI C63.10 :2013 Section 11.10.2 | | | | |
| Test Setup: | Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane | | | | |
| | Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer. | | | | |
| Test Instruments: | | | | | |
| | Refer to section 5.10 for details | | | | |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates | | | | |
| Final Test Mode: | Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; | | | | |
| | 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20). | | | | |
| Limit: | ≤8.00dBm/3kHz | | | | |
| Test Results: | Pass | | | | |

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 33 of 96

Measurement Data

| Wicasarciniciti Bata | | | | | | | |
|----------------------|-----------------------------------|------------------|--------|--|--|--|--|
| | 802.11b mode | | | | | | |
| Test channel | Power Spectral Density (dBm/3kHz) | Limit (dBm/3kHz) | Result | | | | |
| Lowest | -9.24 | ≤8.00 | Pass | | | | |
| Middle | -9.28 | ≤8.00 | Pass | | | | |
| Highest | -8.91 | ≤8.00 | Pass | | | | |
| | 802.11g mode | | | | | | |
| Test channel | Power Spectral Density (dBm/3kHz) | Limit (dBm/3kHz) | Result | | | | |
| Lowest | -11.69 | ≤8.00 | Pass | | | | |
| Middle | -12.33 | ≤8.00 | Pass | | | | |
| Highest | -11.52 | ≤8.00 | Pass | | | | |
| 802.11n(HT20) mode | | | | | | | |
| Test channel | Power Spectral Density (dBm/3kHz) | Limit (dBm/3kHz) | Result | | | | |
| Lowest | -11.44 | ≤8.00 | Pass | | | | |
| Middle | -11.92 | ≤8.00 | Pass | | | | |
| Highest | -12.12 | ≤8.00 | Pass | | | | |




Report No.: SZEM160300176101


Page: 34 of 96

Test plot as follows:

| Test mode: | 802.11b | Test channel: | Lowest |
|------------|---------|---------------|--------|
|------------|---------|---------------|--------|







"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 35 of 96

Test mode: 802.11b Test channel: Highest








"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 36 of 96

Test mode: 802.11g Test channel: Middle








"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."





Report No.: SZEM160300176101

Page: 37 of 96

Test mode: 802.11n(HT20) Test channel: Lowest










Report No.: SZEM160300176101

Page: 38 of 96

Test mode: 802.11n(HT20) Test channel: Highest



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 39 of 96

6.6 Band-edge for RF Conducted Emissions

| Test Requirement: | 47 CFR Part 15C Section 15.247 (d) |
|------------------------|---|
| Test Method: | ANSI C63.10: 2013 Section 11.13 |
| Test Setup: | Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane Remark: |
| Exploratory Test Mode: | Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer. Transmitting with all kind of modulations, data rates |
| Final Test Mode: | Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; |
| | 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20) |
| Limit: | In any 100 kHz bandwidth outside the frequency band in which the spread |
| | spectrum intentional radiator is operating, the radio frequency power that is |
| | produced by the intentional radiator shall be at least 20 dB below that in the |
| | 100 kHz bandwidth within the band that contains the highest level of the |
| | desired power, based on either an RF conducted or a radiated |
| | measurement. |
| Instruments Used: | Refer to section 5.10 for details |
| Test Results: | Pass |

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101


Page: 40 of 96

Test plot as follows:

Test mode: 802.11b Test channel: Lowest











Report No.: SZEM160300176101

Page: 41 of 96

Test mode: 802.11g Test channel: Lowest












Report No.: SZEM160300176101

Page: 42 of 96

Test mode: 802.11n(HT20) Test channel: Lowest









Report No.: SZEM160300176101

Page: 43 of 96

6.7 RF Conducted Spurious Emissions

| Test Requirement: | 47 CFR Part 15C Section 15.247 (d) | | | | | |
|------------------------|---|--|--|--|--|--|
| Test Method: | ANSI C63.10 2013 Section 11.11 | | | | | |
| Test Setup: | Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer. | | | | | |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates | | | | | |
| Final Test Mode: | Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; | | | | | |
| | 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20) | | | | | |
| Limit: | In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. | | | | | |
| Instruments Used: | Refer to section 5.10 for details | | | | | |
| Test Results: | Pass | | | | | |

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."





Report No.: SZEM160300176101

Page: 44 of 96

Test plot as follows:

Test mode: 802.11b Test channel: Lowest









Report No.: SZEM160300176101

Page: 45 of 96











Report No.: SZEM160300176101

Page: 46 of 96






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 47 of 96

Test mode: 802.11b Test channel: Highest






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 48 of 96









[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 49 of 96






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 50 of 96

Test mode: 802.11g Test channel: Middle






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 51 of 96











Report No.: SZEM160300176101

Page: 52 of 96






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 53 of 96

Test mode: 802.11n(HT20) Test channel: Lowest







[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 54 of 96









[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 55 of 96






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 56 of 96

Test mode: 802.11n(HT20) Test channel: Highest






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 57 of 96



Remark:

Use 100kHz RBW to determine the relative limit in the band 2.4GHz to 2.5GHz, and Use 1MHz RBW to measure spurious emissions in the band 30MHz to 10GHz and 10GHz to 25GHz. The sweep points set to 30001.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 58 of 96

6.8 Radiated Spurious Emissions

| Test Requirement: | 47 CFR Part 15C Section 15.209 and 15.205 | | | | | | | | |
|-------------------|--|-----------------------------------|-------------------------------|-------------|--------------------------|--|--|--|--|
| Test Method: | ANSI C63.10 2013 Section 11.12 | | | | | | | | |
| Test Site: | Measurement Distance: 3m (Semi-Anechoic Chamber) | | | | | | | | |
| Receiver Setup: | Frequency | Detector | RBW | VBW | Remark | | | | |
| | 0.009MHz-0.090MHz | Peak | 10kHz | 30kHz | Peak | | | | |
| | 0.009MHz-0.090MHz | Average | 10kHz | 30kHz | Average | | | | |
| | 0.090MHz-0.110MHz | Quasi-peak | 10kHz | 30kHz | Quasi-peak | | | | |
| | 0.110MHz-0.490MHz | Peak | 10kHz | 30kHz | Peak | | | | |
| | 0.110MHz-0.490MHz | Average | 10kHz | 30kHz | Average | | | | |
| | 0.490MHz -30MHz | Quasi-peak | 10kHz | 30kHz | Quasi-peak | | | | |
| | 30MHz-1GHz | Quasi-peak | 100 kHz | 300kHz | Quasi-peak | | | | |
| | Above 1GHz | Peak | 1MHz | 3MHz | Peak | | | | |
| | Above IGHZ | Peak | 1MHz | 10Hz | Average | | | | |
| Limit: | Frequency | Field strength (microvolt/meter) | Limit (dBuV/m) | Remark | Measurement distance (m) | | | | |
| | 0.009MHz-0.490MHz | 2400/F(kHz) | - | - | 300 | | | | |
| | 0.490MHz-1.705MHz | 24000/F(kHz) | - | - | 30 | | | | |
| | 1.705MHz-30MHz | 30 | - | - | 30 | | | | |
| | 30MHz-88MHz | 100 | 40.0 | Quasi-peak | 3 | | | | |
| | 88MHz-216MHz | 150 | 43.5 | Quasi-peak | 3 | | | | |
| | 216MHz-960MHz | 200 | 46.0 | Quasi-peak | 3 | | | | |
| | 960MHz-1GHz | 500 | 54.0 | Quasi-peak | 3 | | | | |
| | Above 1GHz | 500 | 54.0 | Average | 3 | | | | |
| | Note: 15.35(b), Unless of emissions is 20dB applicable to the e emission level radi | above the maximuquipment under te | um permitted st. This peak | average emi | ssion limit | | | | |


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 59 of 96

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
- c. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the



Report No.: SZEM160300176101

Page: 60 of 96

| | limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet. | | | | | |
|------------------------|---|--|--|--|--|--|
| | h. Test the EUT in the lowest channel ,the middle channel ,the Highest channel | | | | | |
| | The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. | | | | | |
| | j. Repeat above procedures until all frequencies measured was complete. | | | | | |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates. | | | | | |
| | Transmitting mode | | | | | |
| Final Test Mode: | Pretest the EUT at Transmitting mode, found the Transmitting mode which it is worse case | | | | | |
| | Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; | | | | | |
| | 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case | | | | | |
| | of 802.11n(HT20) | | | | | |
| | For below 1GHz, through Pre-scan, find the 1Mbps of rate of 802.11b at lowest channel is the worst case. | | | | | |
| | Only the worst case is recorded in the report. | | | | | |
| Instruments Used: | Refer to section 5.10 for details | | | | | |
| Test Results: | Pass | | | | | |




Report No.: SZEM160300176101

Page: 61 of 96

6.8.1 Radiated emission below 1GHz

| 30MHz~1GHz (QP) | | | | | | |
|-----------------|--------------|----------|--|--|--|--|
| Test mode: | Transmitting | Vertical | | | | |



Condition: 3m VERTICAL

Job No. : 1761CR Test Mode: TX mode


| | | Cable | Ant | Preamp | Read | | Limit | 0ver |
|------|--------|-------|--------|--------|-------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB |
| 1 | 30.00 | 0.60 | 19.00 | 26.00 | 41.82 | 35.42 | 40.00 | -4.58 |
| 2 pp | 57.19 | 0.80 | 7.65 | 25.95 | 53.27 | 35.77 | 40.00 | -4.23 |
| 3 | 143.33 | 1.30 | 8.71 | 25.83 | 53.12 | 37.30 | 43.50 | -6.20 |
| 4 | 191.75 | 1.39 | 10.12 | 25.78 | 51.42 | 37.15 | 43.50 | -6.35 |
| 5 | 397.63 | 2.19 | 16.35 | 25.66 | 42.04 | 34.92 | 46.00 | -11.08 |
| 6 | 996.50 | 3.70 | 24.04 | 24.42 | 36.66 | 39.98 | 54.00 | -14.02 |



Report No.: SZEM160300176101

Page: 62 of 96





Condition: 3m Horizontal

Job No. : 1761CR Test Mode: TX mode

| | | Cable | Ant | Preamp | Read | | Limit | 0ver |
|------|--------|-------|--------|--------|-------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit |
| | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB |
| | 25.42 | | | | | 20.00 | 43.50 | |
| 1 | 96.10 | 1.16 | 8.99 | 25.90 | 4/.83 | 32.08 | 43.50 | -11.42 |
| 2 | 143.33 | 1.30 | 8.71 | 25.83 | 49.50 | 33.68 | 43.50 | -9.82 |
| 3 | 191.75 | 1.39 | 10.12 | 25.78 | 47.17 | 32.90 | 43.50 | -10.60 |
| 4 | 239.15 | 1.62 | 11.86 | 25.74 | 48.47 | 36.21 | 46.00 | -9.79 |
| 5 pp | 258.33 | 1.71 | 12.37 | 25.73 | 49.77 | 38.12 | 46.00 | -7.88 |
| 6 | 382.59 | 2.15 | 16.06 | 25.66 | 44.13 | 36.68 | 46.00 | -9.32 |



Report No.: SZEM160300176101

Page: 63 of 96

6.8.2 Transmitter emission above 1GHz

| Test mode: | 802.1 | 1b | Test ch | annel: | Lowest | Remark | : | Peak |
|--------------------|------------------------------|-----------------------|--------------------------|-------------------------|-------------------|------------------------|-----------------------|--------------|
| Frequency (MHz) | Antenna factors (dB/m) | Cable loss (dB) | Preamp Factor (dB) | Read Level (dBuV) | Level (dBuV/m) | Limit Line (dBuV/m) | Over Limit (dB) | Polarization |
| 3803.444 | 32.90 | 7.74 | 38.49 | 46.04 | 48.19 | 74 | -25.81 | Vertical |
| 4824.000 | 34.12 | 8.90 | 38.75 | 48.38 | 52.65 | 74 | -21.35 | Vertical |
| 5913.378 | 34.49 | 10.32 | 38.95 | 45.17 | 51.03 | 74 | -22.97 | Vertical |
| 7236.000 | 35.58 | 10.69 | 37.63 | 39.56 | 48.20 | 74 | -25.80 | Vertical |
| 9648.000 | 37.10 | 12.52 | 36.29 | 33.28 | 46.61 | 74 | -27.39 | Vertical |
| 12173.120 | 37.69 | 14.42 | 37.34 | 36.85 | 51.62 | 74 | -22.38 | Vertical |
| 3215.762 | 31.80 | 7.56 | 38.24 | 47.80 | 48.92 | 74 | -25.08 | Horizontal |
| 4824.000 | 34.12 | 8.90 | 38.75 | 47.42 | 51.69 | 74 | -22.31 | Horizontal |
| 5964.939 | 34.61 | 10.46 | 38.95 | 44.73 | 50.85 | 74 | -23.15 | Horizontal |
| 7236.000 | 35.58 | 10.69 | 37.63 | 40.54 | 49.18 | 74 | -24.82 | Horizontal |
| 9648.000 | 37.10 | 12.52 | 36.29 | 33.81 | 47.14 | 74 | -26.86 | Horizontal |
| 12085.370 | 37.64 | 14.49 | 37.25 | 37.36 | 52.24 | 74 | -21.76 | Horizontal |

| Test mode: | 802.1 | 1b | Test ch | annel: | Middle | Remark | : | Peak |
|--------------------|------------------------------|-----------------------|--------------------------|----------------------------|-------------------------------|-------------------|-----------------------|--------------|
| Frequency (MHz) | Antenna factors (dB/m) | Cable loss (dB) | Preamp factor (dB) | Reading Level (dBµV) | Emission Level (dBµV/m) | Limit (dBμV/m) | Over Limit (dB) | Polarization |
| 3819.990 | 32.92 | 7.75 | 38.49 | 44.91 | 47.09 | 74.00 | -26.91 | Vertical |
| 4874.000 | 34.17 | 8.97 | 38.76 | 46.54 | 50.92 | 74.00 | -23.08 | Vertical |
| 5982.226 | 34.66 | 10.51 | 38.96 | 44.67 | 50.88 | 74.00 | -23.12 | Vertical |
| 7311.000 | 35.54 | 10.72 | 37.59 | 41.10 | 49.77 | 74.00 | -24.23 | Vertical |
| 9748.000 | 37.10 | 12.58 | 36.16 | 37.00 | 50.52 | 74.00 | -23.48 | Vertical |
| 12190.740 | 37.70 | 14.40 | 37.36 | 35.94 | 50.68 | 74.00 | -23.32 | Vertical |
| 3243.802 | 31.80 | 7.57 | 38.25 | 48.36 | 49.48 | 74.00 | -24.52 | Horizontal |
| 4874.000 | 34.17 | 8.97 | 38.76 | 48.21 | 52.59 | 74.00 | -21.41 | Horizontal |
| 5999.562 | 34.70 | 10.56 | 38.96 | 45.15 | 51.45 | 74.00 | -22.55 | Horizontal |
| 7311.000 | 35.54 | 10.72 | 37.59 | 41.44 | 50.11 | 74.00 | -23.89 | Horizontal |
| 9748.000 | 37.10 | 12.58 | 36.16 | 37.79 | 51.31 | 74.00 | -22.69 | Horizontal |
| 12476.260 | 37.78 | 14.17 | 37.63 | 37.42 | 51.74 | 74.00 | -22.26 | Horizontal |



Report No.: SZEM160300176101

Page: 64 of 96

| Test mode: | 802.1 | 1b | Test ch | annel: | Highest | Remark | | Peak |
|--------------------|------------------------------|-----------------------|--------------------------|----------------------------|-------------------------------|-------------------|-----------------------|--------------|
| Frequency (MHz) | Antenna factors (dB/m) | Cable loss (dB) | Preamp factor (dB) | Reading Level (dBµV) | Emission Level (dBµV/m) | Limit (dBμV/m) | Over Limit (dB) | Polarization |
| 3792.453 | 32.87 | 7.74 | 38.48 | 44.47 | 46.60 | 74.00 | -27.40 | Vertical |
| 4924.000 | 34.22 | 9.04 | 38.77 | 48.40 | 52.89 | 74.00 | -21.11 | Vertical |
| 6043.124 | 34.72 | 10.50 | 38.90 | 45.29 | 51.61 | 74.00 | -22.39 | Vertical |
| 7386.000 | 35.51 | 10.75 | 37.56 | 38.51 | 47.21 | 74.00 | -26.79 | Vertical |
| 9848.000 | 37.15 | 12.63 | 36.03 | 37.31 | 51.06 | 74.00 | -22.94 | Vertical |
| 12208.390 | 37.70 | 14.39 | 37.37 | 36.35 | 51.07 | 74.00 | -22.93 | Vertical |
| 3281.568 | 31.80 | 7.58 | 38.27 | 46.75 | 47.86 | 74.00 | -26.14 | Horizontal |
| 4924.000 | 34.22 | 9.04 | 38.77 | 49.05 | 53.54 | 74.00 | -20.46 | Horizontal |
| 5896.291 | 34.44 | 10.27 | 38.94 | 45.39 | 51.16 | 74.00 | -22.84 | Horizontal |
| 7386.000 | 35.51 | 10.75 | 37.56 | 38.77 | 47.47 | 74.00 | -26.53 | Horizontal |
| 9848.000 | 37.15 | 12.63 | 36.03 | 38.13 | 51.88 | 74.00 | -22.12 | Horizontal |
| 12548.680 | 37.85 | 14.29 | 37.70 | 38.41 | 52.85 | 74.00 | -21.15 | Horizontal |

| Test mode: | 802.1 | 1g | Test ch | annel: | Lowest | Remark | : | Peak |
|--------------------|------------------------------|-----------------------|--------------------------|----------------------------|-------------------------------|-------------------|-----------------------|--------------|
| Frequency (MHz) | Antenna factors (dB/m) | Cable loss (dB) | Preamp factor (dB) | Reading Level (dBµV) | Emission Level (dBµV/m) | Limit (dBμV/m) | Over Limit (dB) | Polarization |
| 3792.453 | 32.87 | 7.74 | 38.48 | 44.15 | 46.28 | 74.00 | -27.72 | Vertical |
| 4824.000 | 34.12 | 8.90 | 38.75 | 47.66 | 51.93 | 74.00 | -22.07 | Vertical |
| 6140.076 | 34.77 | 10.38 | 38.78 | 45.65 | 52.02 | 74.00 | -21.98 | Vertical |
| 7236.000 | 35.58 | 10.69 | 37.63 | 39.07 | 47.71 | 74.00 | -26.29 | Vertical |
| 9648.000 | 37.10 | 12.52 | 36.29 | 32.64 | 45.97 | 74.00 | -28.03 | Vertical |
| 12173.120 | 37.69 | 14.42 | 37.34 | 37.53 | 52.30 | 74.00 | -21.70 | Vertical |
| 3215.762 | 31.80 | 7.56 | 38.24 | 47.60 | 48.72 | 74.00 | -25.28 | Horizontal |
| 4824.000 | 34.12 | 8.90 | 38.75 | 45.45 | 49.72 | 74.00 | -24.28 | Horizontal |
| 5845.324 | 34.31 | 10.13 | 38.94 | 46.38 | 51.88 | 74.00 | -22.12 | Horizontal |
| 7236.000 | 35.58 | 10.69 | 37.63 | 42.33 | 50.97 | 74.00 | -23.03 | Horizontal |
| 9648.000 | 37.10 | 12.52 | 36.29 | 33.28 | 46.61 | 74.00 | -27.39 | Horizontal |
| 12085.370 | 37.64 | 14.49 | 37.25 | 37.19 | 52.07 | 74.00 | -21.93 | Horizontal |



Report No.: SZEM160300176101

Page: 65 of 96

| Test mode: | 802.1 | 1g | Test ch | annel: | Middle | Rema | ark: | Peak |
|--------------------|------------------------------|-----------------------|--------------------------|----------------------------|-------------------------------|------------------|-----------------------|--------------|
| Frequency (MHz) | Antenna factors (dB/m) | Cable loss (dB) | Preamp factor (dB) | Reading Level (dBµV) | Emission Level (dBµV/m) | Limit (dBµV/m | Over Limit (dB) | Polarization |
| 3972.178 | 33.07 | 7.80 | 38.55 | 45.56 | 47.88 | 74.00 | -26.12 | Vertical |
| 4874.000 | 34.17 | 8.97 | 38.76 | 49.41 | 53.79 | 74.00 | -20.21 | Vertical |
| 6175.716 | 34.79 | 10.33 | 38.73 | 45.45 | 51.84 | 74.00 | -22.16 | Vertical |
| 7311.000 | 35.54 | 10.72 | 37.59 | 42.18 | 50.85 | 74.00 | -23.15 | Vertical |
| 9748.000 | 37.10 | 12.58 | 36.16 | 39.38 | 52.90 | 74.00 | -21.10 | Vertical |
| 12676.420 | 37.94 | 14.65 | 37.82 | 38.75 | 53.52 | 74.00 | -20.48 | Vertical |
| 3243.802 | 31.80 | 7.57 | 38.25 | 48.16 | 49.28 | 74.00 | -24.72 | Horizontal |
| 4874.000 | 34.17 | 8.97 | 38.76 | 49.41 | 53.79 | 74.00 | -20.21 | Horizontal |
| 6016.949 | 34.71 | 10.54 | 38.94 | 45.07 | 51.38 | 74.00 | -22.62 | Horizontal |
| 7311.000 | 35.54 | 10.72 | 37.59 | 53.69 | 62.36 | 74.00 | -11.64 | Horizontal |
| 9748.000 | 37.10 | 12.58 | 36.16 | 39.51 | 53.03 | 74.00 | -20.97 | Horizontal |
| 12639.790 | 37.92 | 14.55 | 37.79 | 38.43 | 53.11 | 74.00 | -20.89 | Horizontal |

| Test mode: | 802.1 | 1g | Test ch | annel: | Middle Remark: Average | | Average | |
|--------------------|------------------------------|-----------------------|--------------------------|----------------------------|-------------------------------|-------------------|-----------------------|--------------|
| Frequency (MHz) | Antenna factors (dB/m) | Cable loss (dB) | Preamp factor (dB) | Reading Level (dBµV) | Emission Level (dBµV/m) | Limit (dBμV/m) | Over Limit (dB) | Polarization |
| 7311.000 | 35.55 | 10.72 | 37.60 | 39.44 | 48.11 | 54.00 | -5.89 | Horizontal |



Report No.: SZEM160300176101

Page: 66 of 96

| Test mode: | 802.1 | 1g | Test ch | annel: | Highest | Remark | K : | Peak |
|--------------------|------------------------------|-----------------------|--------------------------|----------------------------|-------------------------------|-------------------|-----------------------|--------------|
| Frequency (MHz) | Antenna factors (dB/m) | Cable loss (dB) | Preamp factor (dB) | Reading Level (dBµV) | Emission Level (dBµV/m) | Limit (dBµV/m) | Over Limit (dB) | Polarization |
| 3631.354 | 32.23 | 7.68 | 38.42 | 45.51 | 47.00 | 74.00 | -27.00 | Vertical |
| 4924.000 | 34.22 | 9.04 | 38.77 | 49.30 | 53.79 | 74.00 | -20.21 | Vertical |
| 6122.333 | 34.76 | 10.40 | 38.80 | 45.94 | 52.30 | 74.00 | -21.70 | Vertical |
| 7386.000 | 35.51 | 10.75 | 37.56 | 41.08 | 49.78 | 74.00 | -24.22 | Vertical |
| 9848.000 | 37.15 | 12.63 | 36.03 | 39.58 | 53.33 | 74.00 | -20.67 | Vertical |
| 12639.790 | 37.92 | 14.55 | 37.79 | 37.22 | 51.90 | 74.00 | -22.10 | Vertical |
| 3281.568 | 31.80 | 7.58 | 38.27 | 48.33 | 49.44 | 74.00 | -24.56 | Horizontal |
| 4924.000 | 34.22 | 9.04 | 38.77 | 49.38 | 53.87 | 74.00 | -20.13 | Horizontal |
| 6051.874 | 34.73 | 10.49 | 38.89 | 44.96 | 51.29 | 74.00 | -22.71 | Horizontal |
| 7386.000 | 35.51 | 10.75 | 37.56 | 49.12 | 57.82 | 74.00 | -16.18 | Horizontal |
| 9848.000 | 37.15 | 12.63 | 36.03 | 39.16 | 52.91 | 74.00 | -21.09 | Horizontal |
| 12530.530 | 37.83 | 14.24 | 37.68 | 37.51 | 51.90 | 74.00 | -22.10 | Horizontal |

| Test mode: | 802.1 | 1g | Test ch | annel: | Highest | Remark: | | Average |
|--------------------|------------------------------|-----------------------|--------------------------|----------------------------|-------------------------------|-------------------|-----------------------|--------------|
| Frequency (MHz) | Antenna factors (dB/m) | Cable loss (dB) | Preamp factor (dB) | Reading Level (dBµV) | Emission Level (dBµV/m) | Limit (dBμV/m) | Over Limit (dB) | Polarization |
| 7386.000 | 35.51 | 10.75 | 37.56 | 37.29 | 45.99 | 54.00 | -8.01 | Horizontal |



Report No.: SZEM160300176101

Page: 67 of 96

| Test mode: | 802.1 | 1n(HT20) | Test ch | annel: | Lowest | Remar | κ: | Peak |
|--------------------|------------------------------|-----------------------|--------------------------|----------------------------|-------------------------------|-------------------|-----------------------|--------------|
| Frequency (MHz) | Antenna factors (dB/m) | Cable loss (dB) | Preamp factor (dB) | Reading Level (dBµV) | Emission Level (dBµV/m) | Limit (dBμV/m) | Over Limit (dB) | Polarization |
| 3781.495 | 32.83 | 7.73 | 38.48 | 45.14 | 47.22 | 74.00 | -26.78 | Vertical |
| 4824.000 | 34.12 | 8.90 | 38.75 | 46.08 | 50.35 | 74.00 | -23.65 | Vertical |
| 6016.949 | 34.71 | 10.54 | 38.94 | 44.65 | 50.96 | 74.00 | -23.04 | Vertical |
| 7236.000 | 35.58 | 10.69 | 37.63 | 42.63 | 51.27 | 74.00 | -22.73 | Vertical |
| 9648.000 | 37.10 | 12.52 | 36.29 | 34.60 | 47.93 | 74.00 | -26.07 | Vertical |
| 12713.160 | 37.96 | 14.75 | 37.86 | 37.39 | 52.24 | 74.00 | -21.76 | Vertical |
| 3215.762 | 31.80 | 7.56 | 38.24 | 49.91 | 51.03 | 74.00 | -22.97 | Horizontal |
| 4824.000 | 34.12 | 8.90 | 38.75 | 45.69 | 49.96 | 74.00 | -24.04 | Horizontal |
| 6338.673 | 34.80 | 10.13 | 38.52 | 46.30 | 52.71 | 74.00 | -21.29 | Horizontal |
| 7236.000 | 35.58 | 10.69 | 37.63 | 42.51 | 51.15 | 74.00 | -22.85 | Horizontal |
| 9648.000 | 37.10 | 12.52 | 36.29 | 35.11 | 48.44 | 74.00 | -25.56 | Horizontal |
| 12603.270 | 37.90 | 14.44 | 37.75 | 37.31 | 51.90 | 74.00 | -22.10 | Horizontal |

| Test mode: | 802.1 | 1n(HT20) | Test ch | annel: | Middle | | Remark: | | Peak |
|--------------------|------------------------------|-----------------------|--------------------------|----------------------------|-------------------------------|---|-----------------|-----------------------|--------------|
| Frequency (MHz) | Antenna factors (dB/m) | Cable loss (dB) | Preamp factor (dB) | Reading Level (dBµV) | Emission Level (dBµV/m) | | Limit ΒμV/m) | Over Limit (dB) | Polarization |
| 3437.081 | 31.86 | 7.62 | 38.34 | 44.98 | 46.12 | 7 | 74.00 | -27.88 | Vertical |
| 4874.000 | 34.17 | 8.97 | 38.76 | 46.51 | 50.89 | 7 | 74.00 | -23.11 | Vertical |
| 6087.002 | 34.74 | 10.45 | 38.85 | 45.71 | 52.05 | 7 | 74.00 | -21.95 | Vertical |
| 7311.000 | 35.54 | 10.72 | 37.59 | 41.26 | 49.93 | 7 | 74.00 | -24.07 | Vertical |
| 9748.000 | 37.10 | 12.58 | 36.16 | 38.07 | 51.59 | 7 | 74.00 | -22.41 | Vertical |
| 12639.790 | 37.92 | 14.55 | 37.79 | 38.14 | 52.82 | 7 | 74.00 | -21.18 | Vertical |
| 3243.802 | 31.80 | 7.57 | 38.25 | 48.89 | 50.01 | 7 | 74.00 | -23.99 | Horizontal |
| 4874.000 | 34.17 | 8.97 | 38.76 | 46.79 | 51.17 | 7 | 74.00 | -22.83 | Horizontal |
| 6104.642 | 34.75 | 10.42 | 38.82 | 45.66 | 52.01 | 7 | 74.00 | -21.99 | Horizontal |
| 7311.000 | 35.54 | 10.72 | 37.59 | 42.65 | 51.32 | 7 | 74.00 | -22.68 | Horizontal |
| 9748.000 | 37.10 | 12.58 | 36.16 | 39.31 | 52.83 | 7 | 74.00 | -21.17 | Horizontal |
| 12603.270 | 37.90 | 14.44 | 37.75 | 38.17 | 52.76 | 7 | 74.00 | -21.24 | Horizontal |



Report No.: SZEM160300176101

Page: 68 of 96

| Test mode: | 802.1 | 1n(HT20) | Test ch | annel: | Highest | | Remark: | | Peak |
|--------------------|------------------------------|-----------------------|--------------------------|----------------------------|-------------------------------|---|-----------------|-----------------------|--------------|
| Frequency (MHz) | Antenna factors (dB/m) | Cable loss (dB) | Preamp factor (dB) | Reading Level (dBµV) | Emission Level (dBµV/m) | | Limit ΒμV/m) | Over Limit (dB) | Polarization |
| 3915.118 | 33.02 | 7.78 | 38.53 | 45.22 | 47.49 | - | 74.00 | -26.51 | Vertical |
| 4924.000 | 34.22 | 9.04 | 38.77 | 47.61 | 52.10 | • | 74.00 | -21.90 | Vertical |
| 5999.562 | 34.70 | 10.56 | 38.96 | 45.66 | 51.96 | - | 74.00 | -22.04 | Vertical |
| 7386.000 | 35.51 | 10.75 | 37.56 | 41.11 | 49.81 | - | 74.00 | -24.19 | Vertical |
| 9848.000 | 37.15 | 12.63 | 36.03 | 39.39 | 53.14 | • | 74.00 | -20.86 | Vertical |
| 12676.420 | 37.94 | 14.65 | 37.82 | 38.06 | 52.83 | | 74.00 | -21.17 | Vertical |
| 3281.568 | 31.80 | 7.58 | 38.27 | 47.70 | 48.81 | - | 74.00 | -25.19 | Horizontal |
| 4924.000 | 34.22 | 9.04 | 38.77 | 46.26 | 50.75 | • | 74.00 | -23.25 | Horizontal |
| 6016.949 | 34.71 | 10.54 | 38.94 | 44.75 | 51.06 | • | 74.00 | -22.94 | Horizontal |
| 7386.000 | 35.51 | 10.75 | 37.56 | 41.41 | 50.11 | • | 74.00 | -23.89 | Horizontal |
| 9848.000 | 37.15 | 12.63 | 36.03 | 39.41 | 53.16 | - | 74.00 | -20.84 | Horizontal |
| 12639.790 | 37.92 | 14.55 | 37.79 | 38.40 | 53.08 | | 74.00 | -20.92 | Horizontal |

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
 - Final Test Level =Receiver Reading + Antenna Factor + Cable Factor Preamplifier Factor
- 2) Scan from 9kHz to 25GHz, The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the above measurement data were shown in the report.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160300176101

Page: 69 of 96

6.9 Restricted bands around fundamental frequency

| Test Requirement: | 47 CFR Part 15C Section 1 | 47 CFR Part 15C Section 15.209 and 15.205 | | | | | | | | |
|-------------------|---------------------------|--|------------------|--|--|--|--|--|--|--|
| Test Method: | ANSI C63.10 2013 Section | ANSI C63.10 2013 Section 11.12 | | | | | | | | |
| Test Site: | Measurement Distance: 3m | Measurement Distance: 3m (Semi-Anechoic Chamber) | | | | | | | | |
| Limit: | Frequency | Limit (dBuV/m @3m) | Remark | | | | | | | |
| | 30MHz-88MHz | 40.0 | Quasi-peak Value | | | | | | | |
| | 88MHz-216MHz | 43.5 | Quasi-peak Value | | | | | | | |
| | 216MHz-960MHz | 46.0 | Quasi-peak Value | | | | | | | |
| | 960MHz-1GHz | 54.0 | Quasi-peak Value | | | | | | | |
| | Above 1011= | 54.0 | Average Value | | | | | | | |
| | Above 1GHz | 74.0 | Peak Value | | | | | | | |
| Test Setup: | | | | | | | | | | |






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 70 of 96

| Test Procedure: | a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. |
|------------------------|--|
| | b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. |
| | c. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. |
| | d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. |
| | e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. |
| | f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. |
| | g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel |
| | h. Test the EUT in the lowest channel, the Highest channel |
| | i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. |
| | j. Repeat above procedures until all frequencies measured was complete. |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates. |
| | Transmitting mode |
| Final Test Mode: | Pretest the EUT at Transmitting mode and Charge +Transmitting mode, found the Transmitting mode which it is worse case |
| | Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; |
| | 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20) |
| | Only the worst case is recorded in the report. |
| Instruments Used: | Refer to section 5.10 for details |
| Test Results: | Pass |
| | |




Report No.: SZEM160300176101

Page: 71 of 96

Test plot as follows:

Worse case mode: 802.11b Test channel: Lowest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 1761CR

Mode: : 2412 Band edge

: B


Ant Preamp Cable. Read limit Over Loss Factor Factor Freq Level Level Limit MHz dB dBuV dBuV/m dBuV/m dB/m 57.52 74.00 -16.48 1 2390.00 5.34 28.57 38.11 61.72 5.36 28.66 38.11 94.59 90.50 74.00 16.50 2 pp 2413.14



Report No.: SZEM160300176101

Page: 72 of 96

Worse case mode: 802.11b Test channel: Lowest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 1761CR

1

Mode: : 2412 Band edge

: B


| | | Cable | Ant | Preamp | Read | | Limit | 0ver |
|----|---------|-------|--------|--------|--------|--------|--------|-------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB |
| | 2390.00 | | | | | | | |
| pp | 2411.01 | 5.35 | 28.65 | 30.11 | 10/.59 | 103.48 | 74.00 | 29.48 |



Report No.: SZEM160300176101

Page: 73 of 96

Worse case mode: 802.11b Test channel: Lowest Remark: Average Vertical



Condition: 3m Vertical Job No: : 1761CR

Mode: : 2412 Band edge

: B

1

Ant Preamp 0ver Cable Read Limit Loss Factor Factor Freq Level Level Limit dBuV dBuV/m dBuV/m MHz dB dB/m 38.11 45.50 41.28 54.00 -12.72 2386.91 5.33 28.56 2390.00 5.34 28.57 38.11 43.90 39.70 54.00 -14.30 2415.16 5.36 28.67 38.11 88.26 84.18 54.00 30.18


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 74 of 96

Worse case mode: 802.11b Test channel: Lowest Remark: Average Horizontal



Condition: 3m Horizontal

Job No: : 1761CR

Mode: : 2412 Band edge

: B


| | Cable | Ant | Preamp | Kead | | Limit | Over |
|---------|---------------------------|--|--|--|---|--|---|
| Freq | Loss | Factor | Factor | Level | Level | Line | Limit |
| | | | | | | | |
| MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB |
| | | | | | | | |
| 2386.91 | 5.33 | 28.56 | 38.11 | 56.97 | 52.75 | 54.00 | -1.25 |
| 2390.00 | 5.34 | 28.57 | 38.11 | 55.23 | 51.03 | 54.00 | -2.97 |
| 2415.16 | 5.36 | 28.67 | 38.11 | 99.75 | 95.67 | 54.00 | 41.67 |
| | MHz 2386.91 2390.00 | Freq Loss MHz dB 2386.91 5.33 2390.00 5.34 | Freq Loss Factor MHz dB dB/m 2386.91 5.33 28.56 2390.00 5.34 28.57 | Freq Loss Factor Factor MHz dB dB/m dB 2386.91 5.33 28.56 38.11 2390.00 5.34 28.57 38.11 | Freq Loss Factor Factor Level MHz dB dB/m dB dBuV 2386.91 5.33 28.56 38.11 56.97 2390.00 5.34 28.57 38.11 55.23 | Freq Loss Factor Factor Level Level MHz dB dB/m dB dBuV dBuV/m 2386.91 5.33 28.56 38.11 56.97 52.75 2390.00 5.34 28.57 38.11 55.23 51.03 | Cable Ant Preamp Read Limit Freq Loss Factor Factor Level Level Line MHz dB dB/m dB dBuV/m dBuV/m dBuV/m 2386.91 5.33 28.56 38.11 56.97 52.75 54.00 2390.00 5.34 28.57 38.11 55.23 51.03 54.00 2415.16 5.36 28.67 38.11 99.75 95.67 54.00 |



Report No.: SZEM160300176101

Page: 75 of 96

Worse case mode: 802.11b Test channel: Highest Remark: Peak Vertical



Condition: 3m Vertical

Job No: : 1761CR

Mode: : 2462 Band edge

: E


| | Freq | | | Preamp Factor | | | | |
|-------|--------------------|----|------|------------------|------|--------|--------|----|
| - | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB |
| • • • | 2461.01 2483.50 | | | | | | | |



Report No.: SZEM160300176101

Page: 76 of 96

Worse case mode: 802.11b Test channel: Highest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 1761CR

1

Mode: : 2462 Band edge

: B

| | Freq | | | | | | Limit Line | |
|----|---------|----|------|----|------|--------|---------------|----|
| - | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB |
| pp | 2463.00 | | | | | | | |


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 77 of 96

Worse case mode: 802.11b Test channel: Highest Remark: Average Vertical



Condition: 3m Vertical Job No: : 1761CR

Mode: : 2462 Band edge

: B

Cable Ant Preamn Read limit Over Loss Factor Factor Freq Level Level Line Limit MHz dBuV dBuV/m dBuV/m dB dB/m dB 2461.51 5.39 28.88 38.12 87.79 83.94 54.00 29.94 38.12 28.98 31.45 54.00 -22.55 2483.50 5.41 35.18 2489.37 29.01 38.12 39.37 35.67 54.00 -18.33


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 78 of 96

Worse case mode: 802.11b Test channel: Highest Remark: Average Horizontal



Condition: 3m Horizontal

Job No: : 1761CR

Mode: : 2462 Band edge

: B

| | Freq | | | Preamp Factor | | | | |
|------|---------|------|-------|------------------|-------|--------|--------|--------|
| _ | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB |
| 1 pp | 2461.51 | 5.39 | 28.88 | 38.12 | 98.68 | 94.83 | 54.00 | 40.83 |
| 2 | 2483.50 | 5.41 | 28.98 | 38.12 | 42.16 | 38.43 | 54.00 | -15.57 |
| 3 | 2489.47 | 5.41 | 29.01 | 38.12 | 47.14 | 43.44 | 54.00 | -10.56 |


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 79 of 96

Worse case mode: 802.11g Test channel: Lowest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 1761CR

Mode: : 2412 Band edge

: G


Ant Preamp Read Freq Loss Factor Factor Level Level Line Limit MHz dΒ dB/m dBuV dBuV/m dBuV/m 2390.00 5.34 28.57 38.11 59.91 55.71 74.00 -18.29 28.65 38.11 96.79 92.68 74.00 18.68



Report No.: SZEM160300176101

Page: 80 of 96

Worse case mode: 802.11g Test channel: Lowest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 1761CR

Mode: : 2412 Band edge

: G


| Limit | |
|-------|-----|
| | |
| | |
| dB | |
| | |
| -3.38 | 1 |
| 31.16 | 2 n |
| | |



Report No.: SZEM160300176101

Page: 81 of 96

Worse case mode: 802.11g Test channel: Lowest Remark: Average Vertical



Condition: 3m Vertical Job No: : 1761CR

Mode: : 2412 Band edge

: G


Cable Ant Preamp 0ver Read Limit Freq Loss Factor Factor Level Level dBuV dBuV/m dBuV/m MHz dB dB/m 2390.00 5.34 28.57 38.11 43.03 38.83 54.00 -15.17 2416.74 5.36 28.68 38.11 83.70 79.63 54.00 25.63



Report No.: SZEM160300176101

Page: 82 of 96

Worse case mode: 802.11g Test channel: Lowest Remark: Average Horizontal



Condition: 3m Horizontal

Job No: : 1761CR

Mode: : 2412 Band edge

: G


| | | | | Preamp | | | | |
|------|---------|------|--------|--------|-------|--------|--------|-------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit |
| _ | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB |
| | | | | | | | | |
| 1 | 2390.00 | 5.34 | 28.57 | 38.11 | 55.94 | 51.74 | 54.00 | -2.26 |
| 2 pp | 2416.06 | 5.36 | 28.68 | 38.11 | 96.12 | 92.05 | 54.00 | 38.05 |



Report No.: SZEM160300176101

Page: 83 of 96

Worse case mode: 802.11g Test channel: Highest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 1761CR

Mode: : 2462 Band edge

: G

Ant Preamp 0ver Cable Read Limit Loss Factor Factor Freq Level Level dBuV dBuV/m dBuV/m MHz dB dB/m 2459.92 5.39 28.88 38.12 93.51 89.66 74.00 15.66 5.41 28.98 38.12 59.45 55.72 74.00 -18.28


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 84 of 96

Worse case mode: 802.11g Test channel: Highest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 1761CR

Mode: : 2462 Band edge

: G


| | | Cable | Ant | Preamp | Read | | Limit | 0ver |
|------|---------|-------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit |
| | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB |
| | | | | | | | | |
| 1 pp | 2464.75 | 5.39 | 28.90 | 38.12 | 104.95 | 101.12 | 74.00 | 27.12 |
| 2 | 2483.50 | 5.41 | 28.98 | 38.12 | 67.13 | 63.40 | 74.00 | -10.60 |



Report No.: SZEM160300176101

Page: 85 of 96

Worse case mode: 802.11g Test channel: Highest Remark: Average Vertical



Condition: 3m Vertical Job No: : 1761CR

Mode: : 2462 Band edge

: G

Ant Preamp Cable Read Limit Freq Loss Factor Factor Level Level Line Limit MHz dB/m dBuV dBuV/m dBuV/m 78.54 2460.91 5.39 28.88 38.12 82.39 54.00 24.54 1 pp 5.41 28.98 38.12 39.50 35.77


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 86 of 96

Worse case mode: 802.11g Test channel: Highest Remark: Average Horizontal



Condition: 3m Horizontal

Job No: : 1761CR

Mode: : 2462 Band edge

: G


| | Freq | | | Preamp Factor | | | | |
|---|--------------------|----|------|------------------|------|--------|--------|----|
| - | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB |
| | 2461.01 2483.50 | | | | | | | |



Report No.: SZEM160300176101

Page: 87 of 96

Worse case mode: 802.11n(HT20) Test channel: Lowest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 1761CR

Mode: : 2412 Band edge

: N20


Ant Preamp Read Freq Loss Factor Factor Level Level Limit MHz dΒ dB/m dBuV dBuV/m dBuV/m 2390.00 5.34 28.57 38.11 59.07 54.87 74.00 -19.13 5.35 28.63 38.11 94.97 90.84 74.00 16.84



Report No.: SZEM160300176101

Page: 88 of 96

Worse case mode: 802.11n(HT20) Test channel: Lowest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 1761CR

Mode: : 2412 Band edge

: N20


| | | | Cable | Ant | Preamp | Read | | Limit | 0ver |
|---|------|---------|-------|--------|--------|--------|--------|--------|-------|
| | | Freq | Loss | Factor | Factor | Level | Level | Line | Limit |
| | | | | | | | | | |
| | | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB |
| | | | | | | | | | |
| 1 | l | 2390.00 | 5.34 | 28.57 | 38.11 | 75.63 | 71.43 | 74.00 | -2.57 |
| 2 | 2 pp | 2409.22 | 5.35 | 28.64 | 38.11 | 108.07 | 103.95 | 74.00 | 29.95 |



Report No.: SZEM160300176101

Page: 89 of 96

Worse case mode: 802.11n(HT20) Test channel: Lowest Remark: Average Vertical



Condition: 3m Vertical Job No: : 1761CR

Mode: : 2412 Band edge

: N20

Cable Ant Preamp 0ver Read Limit Freq Loss Factor Factor Level Level Line dBuV dBuV/m dBuV/m MHz dB dB/m 2390.00 5.34 28.57 38.11 42.79 38.59 54.00 -15.41 2416.29 5.36 28.68 38.11 83.53 79.46 54.00 25.46


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 90 of 96

Worse case mode: 802.11n(HT20) Test channel: Lowest Remark: Average Horizontal



Condition: 3m Horizontal

Job No: : 1761CR

Mode: : 2412 Band edge

: N20


| | | | Cable | Ant | Preamp | Read | | Limit | |
|---|----|---------|-------|--------|--------|-------|--------|--------|-------|
| | | Freq | Loss | Factor | Factor | Level | Level | Line | Limit |
| | | | | | | | | | |
| | | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB |
| | | | | | | | | | |
| 1 | | 2390.00 | 5.34 | 28.57 | 38.11 | 57.40 | 53.20 | 54.00 | -0.80 |
| 2 | pp | 2411.24 | 5.35 | 28.65 | 38.11 | 95.90 | 91.79 | 54.00 | 37.79 |



Report No.: SZEM160300176101

Page: 91 of 96

Worse case mode: 802.11n(HT20) Test channel: Highest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 1761CR

Mode: : 2462 Band edge

: N20


Cable Ant Preamp 0ver Read Limit Loss Factor Factor Freq Level Level dBuV dBuV/m dBuV/m MHz dB dB/m 5.39 28.86 38.12 93.83 89.96 74.00 15.96 2456.29 2483.50 5.41 28.98 38.12 59.45 55.72 74.00 -18.28



Report No.: SZEM160300176101

Page: 92 of 96

Worse case mode: 802.11n(HT20) Test channel: Highest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 1761CR

Mode: : 2462 Band edge

: N20

Cable Ant Preamp Read Limit Freq Loss Factor Factor Level Level Line Limit MHz dB/m dBuV dBuV/m dBuV/m 2460.52 5.39 28.88 38.12 104.65 100.80 74.00 26.80 1 pp 5.41 28.98 38.12 68.58 64.85 74.00


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 93 of 96

Worse case mode: 802.11n(HT20) Test channel: Highest Remark: Average Vertical



riequelicy

Condition: 3m Vertical Job No: : 1761CR

Mode: : 2462 Band edge

: N20

Cable Ant Preamp Read Limit 0ver Freq Loss Factor Factor Level Level Line Limit dBuV dBuV/m dBuV/m MHz dB dB/m 2456.10 5.39 28.86 38.12 82.28 78.41 54.00 24.41 2483.50 5.41 28.98 38.12 39.47 35.74 54.00 -18.26


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 94 of 96

Worse case mode: | 802.11n(HT20) | Test channel: | Highest | Remark: | Average | Horizontal



Condition: 3m Horizontal

Job No: : 1761CR

Mode: : 2462 Band edge

: N20

| | Limit Line | | | | | | Freq | |
|----|---------------|--------|------|----|------|----|--------------------|----|
| dB | dBuV/m | dBuV/m | dBuV | dB | dB/m | dB | MHz | - |
| | | | | | | | 2460.81 2483.50 | pp |

Note:

1

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160300176101

Page: 95 of 96


7 Photographs - EUT Test Setup

Test model No.: ESP-07S

7.1 Conducted Emission



7.2 Radiated Emission






Report No.: SZEM160300176101

Page: 96 of 96

7.3 Radiated Spurious Emission



8 Photographs - EUT Constructional Details

Refer to Appendix A - Photographs of EUT Constructional Details for SZEM1603001761CR